
RELEASE DATE 2023.04.11 - REF ECR 505

RELEASE DATE 2020.04.11 REL CON 000												
SHEET	REV	ECO	DATE DESCRIPTION				CHK					
1	Α		11/24/97	ADDED ETCHED P/N & REV LEVEL	REB	REB	LS					
1	В		07/06/98	ADDED NOTE: BUILD UP	REB	REB	LS					
1,2	С		11/10/98	ADDED -2 CONFIGURATION ON SHEET 2	PR	PR	LS					
1,2	D		07/07/99	REVISED NOTE 1-SHT2	PR	PR	LS					
1	Ε		02/01/08	ADDED ALT: GA1533	REB	REB	LS					
1,2	F		05-21-2009 07-12-2011 11-01-2011 12-14-2012	PREMOVE EXISTING' NOTE WAS 'CUT OFF EXISTING' REMOVED CLUTCH COIL NOTE. GA4412M-KT WAS 440-591) ADDED OBSOLETE TO SH2. ADDED ALT. P/N CH1000C1 P/N 440-357 PURCHASED AS P/N CH1000C, P/N 8384-6400 PURCHASED AS P/N GA1533 WAS 461-3111, ② WAS 461-3112, ADDED ③, ⑤	REB	REB	LS					
1	G		04/08/2013	UPDATED BOM, MODIFIED FITTING, ADDED VIEW A-A FOR CLARIFICATION	DGW	DGW	LS					
1	Н		8/14/2013	ADDED ALT PN TO ITEM 8	DGW	DGW	LS					
1	-		12/21/2014	FIXED REVERSED NOTES ON DISCHARGE AND SUCTION.	PDM	JT	LS					
1	J		1/04/2017	FOR -1: ADDED FT6243C, FT6242C, N11952-015 AND N1195-013; REPLACED CH1000C WITH CH1001C. REMOVED SHT 2 WITH OBSOLETE -2.	PDM	JT	LS					
1	К		11/02/2017	ITEM ND. 11 WAS FT6243C, ITEM ND. 12 WAS FT6242C, ADDED SHT 2.	EW	JT	LS					
1,3	L		11/15/18	ADDED SHEET 3 W/ -11 ADAPTER, REPLACES ITEM 12 DN -1 COMPRESSOR.	ZA							
1	М		10/14/22	MADE FT7609SBC AND FT7608SRC PRIMARY P/N'S FOR SERVICE PORTS. V330 AND V332 ARE NOW ALT P/N.	ADL	ADL	BW					




SERVICE OIL LEVEL PER MANUFACTURERS INSTRUCTIONS

FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIORWRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.

-CONFIDENTIAL INFORMATION-

-1 COMPRESSOR



12 407AC-3110-11 ADAPTER 11 407AC-3110-10 **ADAPTER** LABEL 10 206AC-6120-6 SECO 7A4 SEAL 9 GASKET 6502-4-4 8 ELBOW (45 DEG.) ALT: 4V6X-S GASKET SET (OR EQUIV.) (REPLACES 440-591) GA4412M-KT MS16562-23 ROLL PINS 5 COMPRESSOR (ALT: ES10505-3 W/ 9351-6040 COIL) CYLINDER HEAD; TUBE O-RING HEAD W/ SERVICE PARTS /1\ 1 | CH1001C SERVICE PORT (ALT:8384-6400) 12 2 GA1533 3 1 \ 1 FT7609SBC SERVICE PORT (SUCTION) ALT: P/N V330 SERVICE PORT(DISCHARGE) ALT: P/N V332 1 1 FT7608SRC (ITEM PART NUMBER **DESCRIPTION** ASSY ASSY Ю0. Paravion[®] TITLE QTY. QTY. DRAWING NO.

/Technology DIMENSIONS IN INCHES TOLERANCES EXCEPT WHERE NOTED: $.X = \pm .1$ $.XX = \pm .05$

COMPRESSOR 407AC-3110 **ASSEMBLY** DRAWN APRVD. CHK'D DATE REV ECO BYBYDJSH REB LS 10/31/96 М

SHEET

1 DF 3

PROTO $.XXX = \pm .010$ ANGLES = ± 1° THREADS: N/C

DO NOT SCALE DRAWING © 2018 PARAVION TECH., INC. INTERNAL=CLASS 2B PARAVION IS A TRADEMARK OF EXTERNAL=CLASS 2A PARAVION TECHNOLOGY, INC.

THE INFORMATION AND DATA CONTAINED HEREIN IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE; AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED


LOCTITE 272 (RED) ON ALL THREADS


RELEASE DATE 2023.04.11 - REF ECR 505


-10 ADAPTER

MATERIAL: 6061-T6 ALUMINUM PER AMS-QQ-A225/8, AMS41115, 41116, 41117

FINISH: NONE COLOR: RAW







SECTION A-A

DIMENSIONS IN INCHES BREAK ALL SHARP EDGES

TOLERANCES EXCEPT
WHERE NOTED:

.X = ± .1

.XX = ± .05 PROTO N/C

TITLE COMPRESSOR ASSEMBLY

Paravion[®] Inc.

DRAWING NO. 407AC-3110

ECO

2 DF 3

DRAWN APRVD. CHK'D BY BY BY DATE REV DJSH REB LS 10/31/96 М .XXX = ± .05 .XXX = ± .010 ANGLES = ± 1° THREADS: © 2018 PARAVION TECH., INC. PARAVION IS A TRADEMARK OF PARAVION TECHNOLOGY, INC. DO NOT SCALE DRAWING SHEET


-CONFIDENTIAL INFORMATIONTHE INFORMATION AND DATA CONTAINED HEREIN IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE; AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIORWRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.


RELEASE DATE 2023.04.11 - REF ECR 505


-11 ADAPTER

MATERIAL: 6061-T6 ALUMINUM PER AMS-QQ-A225/8, AMS41115, 41116, 41117

FINISH: NONE COLOR: RAW







SECTION A-A

	Paravion® Inc. Technology DIMENSIONS IN INCHES	ASSEMBLY				DRAWING NO. 407AC-3110			
EDGES	DIMENSIONS IN INCHES TOLERANCES EXCEPT WHERE NOTED: .X = ± .1	DRAWN BY DJSH	APRVD. BY REB	CHK'D BY LS	DATE		REV M	ECO	
PROTO	$.XX = \pm .05$ $.XXX = \pm .010$	<u> </u>			E DRAWING		SHEET		
N/C	ANGLES = ± 1° THREADS: INTERNAL=CLASS 2B EXTERNAL=CLASS 2A	© 2018 PARAVION TECH., INC. PARAVION IS A TRADEMARK OF PARAVION TECHNOLOGY, INC.					3 DF 3		

BREAK ALL SHARP EDGES

-CONFIDENTIAL INFORMATIONTHE INFORMATION AND DATA CONTAINED HEREIN IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE; AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIORWRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.